



PATENT APPLICATION

671-04

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re A	pplication of:)		
11120		:	Examiner: D. J. Czekaj	
HIROTAKA SHIIYAMA)	Canada Amt I Inite 2612	
	NI 00/502 477	:	Group Art Unit: 2613	
Appln. No.: 09/503,477)		RECEIVED
	February 14, 2000	;		RECEIVED
Filed:)		JUN 0 3 2004
		:		JUN 0 9 2004
For:	SCENE CHANGE DETECTION)		Technology Center 2600
	METHOD USING TWO-	:		recliniology contor 2000
	DIMENSIONAL DP MATCHING,)		•
•	AND IMAGE PROCESSING	:		
	APPARATUS FOR)		
	IMPLEMENTING THE METHOD	:	May 21, 2004	

Mail Stop Amendment Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

, AMENDMENT AND PETITION FOR EXTENSION OF TIME

Sir:

05/27/2004 ZJUHAR1

01 FC:1251

In response to the Office Action of January 21, 2004, Applicant petitions to extend the time for response to May 21, 2004. A check in the amount of \$110.00 in payment of the extension fee is enclosed. Please charge any additional fee and credit any overpayment to our Deposit Account 06-1205.

•	United States Postal Service as first-class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-		
	1450 on		
00000040 09503477	May 21, 2004		
VVVVV10 07500111	(Date of Deposit)		
110.00 OP	• • •		
224144 41	Leonard P. Diana (Reg. No. 29,296)		
	(Name of Attorney for Applicant)		
•	7 42 12		
	May 21, 2004		
	Signature Date of Signature		

I hereby certify that this correspondence is being deposited with the

In response to that Office Action, please amend the above-identified application as follows. Amendments to the claims are reflected in the listing beginning on page 3, comments regarding the amendment to Figure 13 appear on page 18, and the Remarks begin on page 19. An Appendix including both a drawing replacement sheet and annotated drawing sheet showing the changes to Figure 13 is attached following page 23.